


AVON HEALTH CARE



EXPERTS IN Setting up Hospitals



Avon Health Care

ALL HOSPITAL CARE PRODUCTS UNDER ONE ROOF

PRODUCT CATALOGUE



Avon Health Care

ABOUT US

At **AVON HEALTH CARE**, we believe that quality healthcare starts with the right equipment. Established in 1985, we have been a trusted provider of cutting-edge medical equipment and hospital supplies, ensuring that healthcare facilities are equipped with the best tools to save lives. For nearly four decades, we have partnered with hospitals, clinics, diagnostic centers, and healthcare providers, offering a wide range of state-of-the-art medical equipment, surgical instruments, and hospital furniture. Our commitment is not just to supply products but to enhance healthcare efficiency, safety, and innovation.

Our Mission

To provide high-quality, reliable, and advanced hospital equipment that empowers healthcare professionals to deliver exceptional patient care.

Our Vision To be a global leader in medical equipment supply, continuously innovating and adapting to the evolving needs of the healthcare industry.

What We Offer

We supply a wide range of hospital and medical equipment, including:

- ✓ Diagnostic Equipment – X-ray machines, MRI & CT scanners, ultrasound devices
- ✓ ICU & Critical Care Equipment – Ventilators, patient monitors, infusion pumps
- ✓ Surgical Instruments – Operation theater lights, surgical tables, anesthesia machines
- ✓ Hospital Furniture – Beds, stretchers, wheelchairs, and medical storage solutions
- ✓ Laboratory Equipment – Blood analyzers, centrifuges, and testing kits
- ✓ Medical Consumables – Gloves, syringes, masks, and disinfectants

Why Choose Us?

- ✓ Over 40 Years of Experience – A trusted name in the healthcare industry since 1975
- ✓ High-Quality & Certified Products – All equipment meets ISO, CE, and FDA standards
- ✓ Competitive Pricing & Custom Solutions – Affordable solutions tailored to your needs
- ✓ Reliable After-Sales Support – Installation, training, and maintenance services
- ✓ Fast & Secure Delivery – Nationwide and international shipping

At **AVON HEALTH CARE**, we don't just sell equipment—we build long-term partnerships with healthcare providers, ensuring they have the right tools to deliver the best patient care.

Contact Us: 9810117565



Bringing the future of "HOSPITAL Care"

SYRINGE PUMP

Model - OSC SP57E



PRODUCT INTRODUCTION

- Weight : 1.5kg. •Syringe Size: 2ml. And Also Available In 5ml. 10ml. 20ml. 30ml. 50/60ml. •Accuracy: +-2% •Power: < 55 VA •Dimension: 270 x 140 x 80 mm (W x D x H) •Alarm: Battery exhausted alarm, Low battery alarm Near and alarm, VTBI finished alarm Incorrect syringe han
- Bolus Rate: 2ml Syringe; 100ml/h; 5ml syringe; 150m/h 10ml Syringe: 400 ml/h;20ml Syringe; 600 ml/h 30ml Syringe
- Volume Range: 0.01 ~ 9999.99ml. step by 0.01ml
- Flow Rate Rang: 2 ml. 0.01~100min; 5ml. 0.01~150ml/h. 10ml. 0.01~400ml/h. 20ml. 0.01~600ml/h 30ml. 0.01~1000ml/h. 50
- KVO Rate: Flow Rate >- 10ml/h; KVO rate ml/h Flow Rate>-1ml/h and <10ml/h; KVO rate 1ml/h Flow Rate<1ml/h; KVO
- Occlusion Pressure: Maximum 130 kPa, Minimum 26 Kpa 9 adjustable setting
- Power Adapter: A.C. Input power 100 v~240 V 50/60 HZ; D.C. output power 15V/ 2A
- Lithium Battery: Nominal Voltage; 10.8 V; Device can work over 6 hrs on battery
- Infusion Pump Input Power: D.C. 15 V
- Classification: Class II, Type CF, IPX2
- Minimum Order Quantity: 1

SYRINGE PUMP

Model - OSC SP5702



PRODUCT INTRODUCTION

- Weight : 1.5kg. •Syringe Size: 2ml. And Also Available In 5ml. 10ml. 20ml. 30ml. 50/60ml. •Accuracy: +-2% •Power: < 55 VA •Dimension: 270 x 140 x 80 mm (W x D x H) •Alarm: Battery exhausted alarm, Low battery alarm Near and alarm, VTBI finished alarm Incorrect syringe han
- Bolus Rate: 2ml Syringe; 100ml/h; 5ml syringe; 150m/h 10ml Syringe: 400 ml/h;20ml Syringe; 600 ml/h 30ml Syringe
- Volume Range: 0.01 ~ 9999.99ml. step by 0.01ml
- Flow Rate Rang: 2 ml. 0.01~100min; 5ml. 0.01~150ml/h. 10ml. 0.01~400ml/h. 20ml. 0.01~600ml/h 30ml. 0.01~1000ml/h. 50
- KVO Rate: Flow Rate > 10ml/h; KVO rate ml/h Flow Rate>-1ml/h and <10ml/h: KVO rate 1ml/h Flow Rate<1ml/h; KVO
- Occlusion Pressure: Maximum 130 kPa, Minimum 26 Kpa 9 adjustable setting
- Power Adapter: A.C. Input power 100 v~240 V 50/60 HZ; D.C. output power 15V/ 2A
- Lithium Battery: Nominal Voltage; 10.8 V; Device can work over 6 hrs on battery
- Infusion Pump Input Power: D.C. 15 V
- Classification: Class II, Type CF, IPX2
- Minimum Order Quantity: 1

Bringing the future of "HOSPITAL Care"

INFUSION PUMP

Model - OSC-820SP



PRODUCT INTRODUCTION

Features of OSC Infusion Pump OSC--820SP With HD LCD Display

SPECIFICATIONS:

- HD LCD Display, high capacity words, friendly user interface, dynamically display working status;
- Audible and visual alarm for occlusion, empty, low battery, end of infusion, door open, wrong setting, etc., which gain patents;
- Compatible with any brands of infusion sets after correct calibration;
- Preset solution volume to greatly reduce the workload of nurses;
- Work mode: ml/h and drop/min can switch freely;
- Three levels of occlusion: high, middle and low;
- Purge function;
- KVO (keep-vein-open) automatically opens as infusion is completed, KVO rate is 3ml/h;
- Power Source: AC100---240V, 50/60Hz; Internal Battery;
- Automatically record the settings of last infusion;
- BYS-820D can store 2000pcs of infusion records and it has a drug library.
- OEM is available.
- Is Discontinued By Manufacturer : No
- Product Dimensions : 28 x 21 x 13 cm; 2.5 Kilograms
- Date First Available : 22 March 2018
- ASIN :B07BN7
- Manufacturer : OSC
- Item Weight : 2 kg 500 g
- Item Dimensions LxWxH : 28 x 21 x 13 Centimeters
- Net Quantity :1 count
- Best Sellers Rank: #145,112 in Health & Personal Care (See Top 100 in Health & Personal Care)

APPLICATION / MODEL:

This instrument is applied in internal medicine, surgical, pediatrics, obstetrics and gynecology, ICU, CCU, operation room and other clinical infusion treatment (but not suitable for blood transfusion). It is especially suitable for clinical treatment that needs long-time accurate control of infusion rate and supervision of infusion processes.

CONTENT OF BOX1:


- Infusion Pump
- Operating Manual
- Power Cord

Bringing the future of "HOSPITAL Care"

MULTI-PARA PATIENT MONITOR

Model - OSC PM12 D

OSC



PRODUCT INTRODUCTION

ECG :

- • •
- Lead mode :3-lead or 5-lead
- Lead selection : I; II; III; avR; avL; avF; V
- Heart rate range : Adult : 15-300 bpm;
Pediatric / Neonatal : 15-300 bpm
- ECG waveform : 2 channels
- Accuracy : ± 1 BPM or $\pm 1\%$
- S-T segment detection Measurement
rang : -0.2mv~1.0mv
- Alarm : Yes, audible and visual alarm,
alarm events review
- High resolution 12.1" color TFT display
- Lightweight, compact and portable
- ECG, SPO₂ , NIBP,RESP, 2-TEMP, PR
- Built-in rechargeable lithium battery
- ECG waveforms of 7-lead display
on the same screen
- 72-hours graphic and tabular trends
of all parameters
- 72 alarm events of all parameter recall
- 32 seconds full-disclosure waveform review
- Suitable for adult, pediatric and neonatal patient.

SPO₂

- Measurement range : 0-100%
- Accuracy :70-100%, $\pm 2\%$ 0-69%,
unspecific

NIBP :

- Method : Oscillometry
- Modes : Manual / Auto Continuous
- Auto measure time : Adjustable
- Measurement rang : 10-270 mmHg

RESPIRATION :

- Method : RA-LL impedance
- Range : Adult : 0-120rpm; pediatric /
neonatal : 0-150 rpm
- Apnea alarm Yes

TEMPERATURE : Range : 0-50 • Channel :
• Dual - channel

TEMPERATURE :

PULSE RATE :

- Range : 20-254 bpm • Accuracy : ± 3 bpm

OPTIONAL :

- ETCO₂ IBP UP GRADABLE

OXYGEN CONCENTRATOR-10L



PRODUCT INTRODUCTION

Number Of Channels : 1 Channel

Model Name/ Number : 100G

Enduring polarization Voltage : 220V

Lead : 12 Lead

Usage/ Application : Hospital

Brand : Contec

ECG100G is a kind of single channel electrocardiograph, which features in printing ECG waveform by thermal printing system, prompting for "Lead off" or "Lack of paper", multi-language interface, recording ECG waveform in Manual mode, convenient to operate.

DEFIBRILLATOR - Bi PHASIC

OSC AED (MADE IN INDIA)

- **TYPE**
- Fully Automatic External Defibrillator
- **MODEL**
- **OSC**
- **WAVEFORM**
- Biphasic Truncated Exponential (impedance Compensated)
- **ENERGY**
- Adult : 150 Joules
- Pediatric : 50 Joules
- (nominal Into 50 Ohm Load)
- Charge Time"

- **VOICE PROMPTS**
- Extensive Voice Prompts
- Guide User Through Operation Of The Unit And Cpr
- **CPR PACING**
- Metronome
- **Controls**
- Lighted On/off Button
- **INDICATORS**
- "Check Pads"
- "Do Not Touch Patient"
- "Analyzing"
- Armed-for-shock
- AED Status LED
- " Tupecal, With New Battery At 25°c

AED-7000



AED-8000



AUTOMATIC EXTERNAL DEFIBRILLATOR

Model - OSC -AED 8000



Model - OSC -AED 7000



Bringing the future of "HOSPITAL Care"

OXYGEN CONCENTRATOR-10L



STATIONARY OXYGEN CONCENTRATOR OLV-10

Advanced Features :

- ▲ France imported CECA molecular sieve
- ▲ High oxygen purity 93% ± 3%
- ▲ Long lifespan more than 18000 hours
- ▲ 3 years warranty
- ▲ Large LED display
- ▲ Voice function



SPECIFICATION

Model	OLV-10
maximum recommended flow	0-10L/min
oxygen concentration	93% ± 3%
Power supply	220V ± 22V, 50Hz ± 1Hz/110v ± 15V, 60Hz ± 1Hz
Output pressure	20kPa-60kPa
Input Power	550W
Whole machine noise	50dB (A)
Net weight	20kg
Dimension(MM)	344×306×565mm
Working system	Continuous flow
The sound pressure of auditory alarm signal	>40dB
Atomization quantity	>0.15ml/min(Only modes with atomization function)
Release pressure of air compressor safety valve	250kPa ± 50kPa
Flow range when outlet nominal pressure is 7kpa	0-10L/min
Flow range when outlet nominal pressure is 0	0-10L/min
Device operation above or outside of the voltage ,LPM,temperature ,humidity and/or altitude values specified may decrease oxygen concentration levels	


Accessories



Nasal Cannula



Hepa Filter



First Filter



Humidifier

PHYSIOTHERAPY EQUIPMENT OSC-P 4-CH. TENS 710

PRODUCT INTRODUCTION



OSC TENS 4

Channel LCD Nerve Stimulator, the ultimate pain relief physiotherapy machine designed for a range of applications. With its 10 programs, this electrotherapy product is perfect for managing pain, relieving joint and muscle pain, alleviating nerve pain, aiding in rehabilitation, and providing relief for shoulder, hip, and knee pain. Whether you're dealing with acute or chronic pain, this device is here to help. It also assists in relaxing muscle sprains and re-educating your muscles. This package includes the main unit, a Gel Bottle, a convenient bag, a main cord, velcro, pads, and wire. With 4 channels available, you have options for targeting different areas simultaneously. Say goodbye to discomfort and welcome relief with the **OSC** TENS 4 Channel LCD Nerve Stimulator.

PHYSIOTHERAPY EQUIPMENT

OSC-P 4-CH. TENS 709

PRODUCT INTRODUCTION



OSC TENS 4

Channel LCD Nerve Stimulator, the ultimate pain relief physiotherapy machine designed for a range of applications. With its 100 programs, this electrotherapy product is perfect for managing pain, relieving joint and muscle pain, alleviating nerve pain, aiding in rehabilitation, and providing relief for shoulder, hip, and knee pain. Whether you're dealing with acute or chronic pain, this device is here to help. It also assists in relaxing muscle sprains and re-educating your muscles. This package includes the main unit, a Gel bottle, a convenient bag, a main cord, velcro, pads, and wire. With 4 channels available, you have options for targeting different areas simultaneously. Say goodbye to discomfort and welcome relief with the **OSC** TENS 4 Channel LCD Nerve Stimulator.

HOSPITAL FOWLER BED MANUAL

OSC-F532

PRODUCT INTRODUCTION



Features:

Collapsible Side Rails: Provide patient safety and can be folded down for easier access.

ABS Head /Foot Panels: Removable and durable panels at the head and foot of the bed.

MS Sheet: A four-section top made of mild steel for durability.

Epoxy Powder Coating: A protective and hygienic finish for the bed frame.

Wheels-(optional) for easy movement . often with locking mechanisms for stability.

IV Rod Provision : Holders for an IV rod

PARALLEL BARS OSC-F778



PRODUCT INTRODUCTION

Key Features:

- Adjustable height for user comfort
- Available in 6ft, 8ft, and 10ft lengths with a 2.5ft width
- Durable, non-slip base for safety

Specifications:

- **Sizes:** 6ft, 8ft, and 10ft lengths
- **Width:** 2.5ft
- **Height Adjustment Range:** 28 to 40 inches (approx.)
- **Material:** Steel frame with anti-corrosion coating, non-slip mat surface

EXAMINATION COUCH OSC-F874



PRODUCT INTRODUCTION

Key Features

Hydraulic Head Rest with Full Length Mattress .

Inbuild Cabinets with Magnetic Closure & Anti Skid Plated Foot Rest .

Complete Frame Made with Metal Sheet Frame Work Instead of Pipe Frame . v Tank Treatment for Rust Proof Allows Extra Strength for Long Lasting Purpose .

Cushioned Mattress for Patient Comfort

Bringing the future of "HOSPITAL Care"

CRASH-CART OSC-F509



PRODUCT INTRODUCTION

FEATURES:

Durable Construction: Made with a stainless steel and powder-coated frame along with a stainless steel top for enhanced durability and ease of maintenance.

Modular Storage System: Comes with six drawers to organize and store emergency supplies and medications efficiently.

Detachable Bins: Allows for easy access and customization of storage space.

Oxygen Cylinder Stand: Securely holds oxygen cylinders for emergency use.

Monitor and Pulse Oximeter Tray: Top tray designed for safe placement of monitoring equipment.

Stainless Steel IV Rod: Provides stable support for IV therapy needs.

Smooth Mobility: Equipped with 100 mm diameter diagonal wheels with brakes, ensuring easy movement and stable positioning during critical times.

BED CUM CHAIR- OSC -F167



Product Description

1. MS Tubular framework mounted on PVC Stumps
2. Pull-out design for easy transforming recliner into bed
3. 188l x 50w x 40h cm
4. Powder coated finish

MEDICINE TROLLEY(WITH DRAWER)

OSC-F458



PRODUCT INTRODUCTION

- Overall Approx. Size: 76L x 46W x 81 Hcms
- Frame work of MS tubes mounted on 10cms castors
- Medicine Trolley** Two SS shelves with three side railing on top shelf
- Two drawer under the each shelf
- Epoxy Powder Coated Finish



SHOWROOM:

G13, Preet Vihar Basement, New Delhi-110092

CONTACT NO.:

+91-9810117565 | +91-9810015544 | +91-7827845048

E-MAIL :

info.avonhealthcare@gmail.com

WEBSITE :

www.avonhealthcareindia.com